FIG.1 PRIOR ART




FIG.2 PRIOR ART




FIG.3 PRIOR ART





FIG.4



5/11

FIG.5






FIG.6



7/11







FIG.9



a

```
ر 130
agent agent_name{
                                  /*IDENTIFIER OF AGENT*/
int
        agent_type; 133
                                  /*TYPE OF AGENT */
BOOL
                                  /★SERVICE LIFE OF AGENT (IN MINUTES)★/
int
         agent_life;
                      _134
func() *
         agent_target_exe;
                                  /*EXECUTION FILE INVOKED BY AGENT★/
func() *
         agent_method;
                                  /*DEFINITION OF OPERATION OF AGENT */
                       135
```

FIG.11

```
func agent_method() {
BOOL method_type; /*TYPE OF PROCEDURE*/
int* method_parameter; /*PARAMETER DESIGNATION FOR PROCEDURE*/
};
```

FIG 12

method_type	DESCRIPTION	method_parameter	DESCRIPTION
WWWBROWSER	MWWBROWSER WWW BROWSER	TIMER	REPETITIVE OPERATION FOR DESIGNATED PERIOD OF TIME
EMAILER	ELECTRONIC MAIL BROWSER	FILTER MAIL_R	RECEPTION OF ELECTRONIC MAIL FROM SPECIFIC ORIGINATOR

```
define agent www_agent{
int 1;
BOOL WWW;
int 4000;
func() * WWWBROWSER;
func() * TIMER 00:30:00;
};
```

FIG.14

```
define agent email_agent{
int 2;
BOOL MAIL;
int 8000;
func() * EMAILER;
func() * FILTER MAIL_R;
};
```